POPULATION ESTIMATES	CENSUS DATA	LOCAL PUBLIC HEALTH
Total 1995 Population Est 19, 140	 	Per <u>Activities Reported Number 10,000</u>
Percent Female 51.2 Population per square mile 54 Rank in state 32 (1=highest population density,	Note: Data in this section are from the 1990 Census. (All other sections contain 1995 data except where specified.)	Public Health Nursing Total clients 833 435 Total visits 833 435 Visits: Reason for
72=lowest population density.)	Ratio of 1989 Family Income to Poverty (Cumulative)	Gen hlth promotion 12 6 Infant/child hlth 35 18 Infectious & parasitic 85 44
Age Femal e Mal e Total 0-14 1,940 1,950 3,890 15-19 690 710 1,391 20-24 500 510 1,010	Age <100% <185% <200% Total	Circulatory 279 146 Prenatal 25 13 Postpartum 75 39
25- 29 460 450 910 30- 34 630 650 1, 280 35- 39 760 790 1, 550 40- 44 690 750 1, 440	18-44 9 25 29 6, 482 45-64 6 16 19 3, 696 65+ 11 39 42 3, 325	WIC Participants 543 284
45-54 1,080 1,120 2,200 55-64 920 860 1,780 65-74 980 880 1,860		Blood pressure 1,559 815 Environmental Contacts
75-84 770 520 1, 290 85+ 380 150 530 Total 9, 800 9, 340 19, 140	CANCERINCIDENCE (1995) Primary site Number	Public health nuisance 18 9 School Health
Age Femal e Mal e Total 0-17 2,370 2,380 4,750 18-44 3,300 3,430 6,730	Col on 7	Vision screenings 1,539 804 Hearing screenings 1,362 712 Health Education
45-64 2,000 1,980 3,980 65+ 2,130 1,550 3,680 Total 9,800 9,340 19,140	All others 64 Total 124	Community sessions
Note: Average wage is based on place	LONG TERM CARE	Staffing - FTEs Total staff 7 3.6
Note: Average wage is based on place of work, not place of residence. Average wage for jobs covered	Home Health Agencies 1 Patients 782 Patients per 10,000 pop 409	Public health nurses 3 1.5 Public health aides 2 1.0 Environmental specialists
by Unemployment Compensation \$19,245 Labor Force Estimates Annual Average Civilian labor force 10,659	Nursing Homes 3 Licensed beds 240 Occupancy rate (percent) 94.8%	 LOCAL PUBLIC HEALTH FUNDING Per
Civilian labor force 10,659 Number employed 10,168 Number unemployed 491 Unemployment rate 4.6%	Occupancy rate (percent) 94.8% Residents on 12/31/95 222 Residents per 1,000 population aged 65 or older 58	Total funding

TOTAL LIVE BIRTHS		192	Birth Order	Births 70	Percent	Marital Status	Dr. (1	D .
3 1 I P		10.0	First	76	40	<u>of Mother</u>	Births 154	
Crude Live Birth Rate		10. 0	Second	61	32	Marri ed	154	80
General Fertility Rate	e	51. 7	Thi rd	30	16	Not married	38	20
	. 1		Fourth or higher	25	13	Unknown	0	•
Live births with repor congenital anomalies	rtea	o 0/	Unknown	0	•	Fd.,		
congenital anomalies		o . %	Et and December 1			Education	Dr. alla	D
)-1: T	D:+ l	D	First Prenatal	D: l	D	of Mother Elementary or less		Percent
Delivery Type Vaginal after	BITTIS	Percent	<u>Visit</u> 1st trimester	Births 142		Elementary or less Some high school High school	17 25	13
aginai arter	9				74	Some night school	25 07	
previous cesarean	9	•	2nd trimester	38	20	High school	67	35
Forceps	3	83	3rd trimester	10 2	•	Some college College graduate	45 38	23
Other vagi nal	159		No visits	2 0	•	Correge graduate	38	20
Primary cesarean	14	•	Unknown	U	•	Unknown	0	•
Repeat cesarean	7 0	•	Name of Days at al			Consister Charles		
Other or unknown	U	•	Number of Prenatal	D: .4 l	D	Smoking Status	Dr. all.	D
Disal Wat da	Dr. alla	D	<u>Care visits</u>	BITTNS	Percent	of Mother	39	Percent
Birth Weight	BITTNS	<u>Percent</u>	No visits	2	•	Smoker	39 153	20
<1, 500 gm	2 9 181	•	1-4 visits	12	1.5	Nonsmoker		80
1,500-2,499 gm	101	04.0	5-9 visits	29	15	Unknown	0	•
2, 500+ gm	181	94. 3	10-12 visits	78	41			
Unknown C	0	•	13+ visits Unknown	71 0	37			
			Low Birth Weight		Tri mest	er of First Prenatal	Visit	
	Total B		(under 2,500 gm)	1st Tri	imester	2nd Trimester	Other/	Unknown
	<u>Births P</u>		Diffus refeeld	בווז נווב	rercent	Diftiis refteilt	<u>Bi rths</u>	Percent
White	186	97	10 .	139	75	35 19	12	
Bl ack	0	•		•	•		•	•
Other	6		1 .	`3	•	3 .	•	
Unknown	0	•		•	•		•	•
Age of Mother	Bi rths	ertility Rate	<u>Births Percent</u>	1st Tri <u>Births</u>	imester	er of First Prenatal 2nd Trimester Births Percent	Other/	Unknown Percent
<15	Births 0	Rate	(under 2,500 gm) Births Percent	<u>Births</u>	imester <u>Percent</u>	2nd Trimester Births Percent	Other/ Births	
<15 15- 17	Births 0 6	Rate	(under 2,500 gm) Births Percent	Births 3	imester	2nd Trimester Births Percent . 2 .	Other/ Births 1	
<15 15- 17 18- 19	Births 0 6 16	<u>Rate</u> 	(under 2,500 gm) Births Percent	Births 3 9	mester Percent .	2nd Trimester Births Percent . 2 . 5	Other/ Births 1	
<15 15- 17 18- 19 20- 24	Births 0 6 16 52	Rate	(under 2,500 gm) Births Percent	Births 3 9 37	mester Percent	2nd Trimester Births Percent 2 . 5 . 13 .	0ther/ Births 1 2 2	
<15 15- 17 18- 19 20- 24 25- 29	Births 0 6 16 52 50	Rate	(under 2,500 gm)	Births 3 9 37 38	mester Percent	2nd Trimester Births Percent 2 . 5 . 13 . 8 .	Other/ Births 1	
<15 15- 17 18- 19 20- 24 25- 29 30- 34	Births 0 6 16 52 50 38	Rate	(under 2,500 gm) Births Percent	Births	mester Percent	2nd Trimester Births Percent 2 . 5 . 13 . 8 . 7 .	0ther/Births	
<15 15- 17 18- 19 20- 24 25- 29 30- 34 35- 39	Births 0 6 16 52 50 38 20	Rate	(under 2,500 gm) Births Percent	Births	mester Percent	2nd Trimester Births Percent 2 . 5 . 13 . 8 .	0ther/Births	
<15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births 0 6 16 52 50 38 20 10	Rate	(under 2,500 gm) Births Percent	Births	mester Percent	2nd Trimester Births Percent 2 . 5 . 13 . 8 . 7 .	0ther/Births	
<15 15- 17 18- 19 20- 24 25- 29 30- 34 35- 39	Births 0 6 16 52 50 38 20	Rate	(under 2,500 gm) Births Percent	Births	mester Percent	2nd Trimester Births Percent 2 . 5 . 13 . 8 . 7 .	0ther/Births	

1995 PROFILE FOR GREEN LAKE COUNTY Third of four pages **PAGE 115** ----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus | Total deaths | Tota * Includes HBV carriers ** Includes HCV screens Neonatal . . | ALCOHOL AND DRUG ABUSE AS UNDERLYING Unknown . . | OR CONTRIBUTING CAUSE OF DEATH Sexually Transmitted Disease

Chlamydia Trachomatis	15
Genital Herpes	6
Gonorrhea	<5
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	0

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

Compl i ant	4, 311
Non-compliant	34
Percent Compliant	99. 2

<u>Race of Mother</u>		
White	1	
Bl ack	•	•
0ther	•	
Unknown		
Rirth Weight		

<u>Birth Weight</u>		
<1, 500 gm	•	
1,500-2,499 gm	•	
2, 500+ gm	1	
Unknown	•	

Peri nat al		
Mortality	Deaths	Rate
Total Perinatal	2	
Neonatal	•	
Fetal	2	

Al cohol	1	
Other Drugs Both Mentioned	i	

----- MOTOR VEHICLE CRASHES -----

__ | Note: These data are based on location | of crash, not on residence.

Type of Motor	Persons Per	rsons
<u>Vehicle Crash</u>	Injured K	<u>illed</u>
Total Crashes	205	5
Al cohol - Rel ated	35	0
With Citation:		
For OWI	19	0
For Speeding	30	0
Motorcyclist	7	0
Bicyclist	5	0
Pedestri an	6	0

 H O S P I T A L I Z A T I O N S

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	1,000	Average Stay (Days)	e Average <u>Charge</u>	Charge Per Capi ta
I nj ury-Rel ated:	A1 1					Al cohol - Rel at ed					
Total	165	8. 6	4.3	\$8, 819	\$76	Total	44	2.3	4. 8	\$2, 442	\$6
<18	10			, 0, 010		18-44	28	4. 2	3. 6	\$2, 057	\$ 9
18-44	40	6. 0	4. 2	\$10, 351	\$62	45-64	12		•		•
45-64	25	6. 3	3. 6	\$6, 398	\$40						
65 +	90	24. 4	4.8	\$9, 151	\$224	Pneumoni a and I	nfl uenza				
Injury: Hip I	Fracture			,		Total	92	4.8	4.8	\$4, 998	\$24
Total	34	1.8	6. 6	\$12, 767	\$23	<18	10	•		•	
65+	34	9. 2	6. 6	\$12, 767	\$118	45-64	13			•	
Injury: Poiso	oni ngs			,		['] 65+	63	17. 1	5. 2	\$5, 294	\$91
Total	ິ 9					l'				,	•
18-44	3			•		Cerebrovascul ar	Di sease				
						Total	75	3. 9	4. 7	\$6, 925	\$27
Psychi atri c						45-64	7		•	,	
Total	103	5.4	10. 1	\$5, 500	\$30	65+	67	18. 2	4. 6	\$6, 373	\$116
<18	21	4. 4	15. 0	\$7, 388	\$33					,	
18-44	38	5. 7	5. 3	\$3, 193	\$18	Chronic Obstruc	tive Puli	nonary D	i sease		
45-64	26	6. 5	10. 3	\$5, 803	\$38	Total	46	2. 4	3. 7	\$3, 785	\$9
65+	18	•			•	<18	4		•		
		· ·	•	•	·	18-44	$ar{4}$				
Coronary Heart	Di sease					45-64	11	•	•	•	•
Total	125	6. 5	4. 6	\$12, 346	\$81	65+	27	7. 3	3. 7	\$3, 818	\$28
45-64	42	10. 5		\$12, 319	\$130		~.		٠	40,010	420
65+	73	19. 8	5. 3	\$13, 203	\$262	Drug-Related					
				, _ ,	******	Total	7	_	_	_	
Malignant Neopl	asms (Car	ncers):	A1 1			18-44	7 3			•	
Total	87	4. 5	5. 7	\$10, 336	\$47	1	•	•	•	•	•
18- 44	6					Total Hospitali	zations				
45-64	24	6. 0	5. 0	\$9, 286	\$56	Total	2, 179	113. 9	4. 4	\$6, 374	\$726
65+	55	14. 9		\$10, 051	\$150	<18	305	64. 3	3. 4	\$3, 520	\$226
Neoplasms: Fe						18-44	543	80.8	3. 0	\$4, 359	\$352
Total	11					45-64	394	98. 8	4. 9	\$8, 151	\$805
Neoplasms: Co		1	•	•	•	65+	937	254. 4	5. 2		\$1, 965
Total	11					1'				,	,
65+	8	•	•	•	•	PREVENTA	BLEH	0 S P I	T A I.	IZATI	0 NS
Neoplasms: Lu		•	•	•	•	Total	313	16.4	4.6	\$4,958	\$81
Total	9		_	_	_	<18	27	5. 7	2. 9	\$3, 045	\$17
10041	Ü	•	•	•	•	18-44	28	4. 2	3. 5	\$4, 231	\$18
Di abetes						45-64	52	13. 0	4.8	\$6, 107	\$80
Total	33	1. 7	5. 9	\$8, 067	\$14	65+	206	55. 9	4. 9	\$5, 018	\$281
65+	14	1. /	J. J	90, 00 <i>1</i>	Ų17	00 F	200	00.0	1. 0	, o, o10	Ų≈U1
001	14	•	•	•	•	* Hospitalizatio effective ambula hospitalization.	ns for co	ondition e can re	s where duce th	timely a e likelih	nd ood of